

Disfigurement and Social Impairment Medical Impairment Assessment

٧	/eteran	UIN
		elates to embarrassment experienced by the veteran, and the impact on social esult of conditions which are noticeable or disfiguring.
1.	What features	s of the veteran's conditions would be noticeable in ordinary public places?
2.	What circums	tances or activities does the veteran avoid because of their embarrassment?
3.	and avoidance examples are	ition listed in the table on the next page, please rate the level of embarrassment of social interaction experienced by the veteran, using the following scale. The included to help explain the degree of visibility / disfigurement but should not be strictive. Other considerations include involuntary movements and sensory loss.
	None / Trivial:	The condition may be visible, but is associated with no, or only very slight, embarrassment (e.g. minor limp). No activities are avoided.
	Minor:	A noticeable condition (e.g. ungainly gait, mild stutter, severe acne or other skin condition) which can cause embarrassment and may cause avoidance of some normal activities.
	Moderate:	A very noticeable condition (e.g. severe skin disorder of the face or hands, severe stutter) which causes embarrassment during normal social contact. Some normal activities are avoided.
	Major:	An obvious condition (e.g. moderate facial disfigurement) which causes marked embarrassment and avoidance of many public places and much social intercourse. Many normal activities are avoided.
	Severe:	A particularly severe condition. (e.g. severe facial disfigurement) causing extreme embarrassment and avoidance of almost all social intercourse.

Condition	None	Minor	Moderate	Major	Severe
Other Comments:					

name Da	Date	Time to complete form	
	name	name Date	